

Acrylic Bath & Showers Fixtures



Designed With Your Safety in Mind

We've Made Bathing Easy Again!

Aqua Bath has been a family owned and operated company since 1993. We specialize in a variety of specific needs showers for the health-care industry that include but are not limited to retirement homes, assisted living facilities, psychiatric hospitals, college dormitories, bariatric showers and personal residences.

Between our sales staff, engineering department and supervisors we have more that 200 years of experience building the very best cast acrylic showers in the industry. Aqua Bath products are the perfect solution to everyone's need to meet the Americans with Disabilities Act (ADA) bathing requirements.

Why Aqua Bath?

Experience: There is only one company now active in the manufacturing of acrylic accessible bath fixtures that has been at it as long as the folks who produce the Aqua Bath line.

Involvement: Aqua Bath, as company policy, has made it a point, to be represented on national boards that are charged with the responsibility of formulating codes and laws dealing with accessible and assisted bath fixtures. Aqua Bath asks questions of people who need the products and have incorporated some of their ideas into the finished product.

Specialization: Aqua Bath's main thrust is the manufacture of ADA compliant and other accessible and assisted bath fixtures. We take your problems

as a challenge and will come up with an answer, that is what we do and we are the only company that will do it for you. We are small enough to care, but big enough to respond.

Hands On: We are blessed by the presence of people who have replaced machines – our molds are hand made and easily adapted to solve your particular problem. No problem is too big or too small for the Aqua Bath artisans to solve.

Warranty: Ten years limited against material and workmanship on commercial-institutional cast acrylic units as opposed to 1-5 years on gel coat.



Why Aqua Bath Acrylic?

Cast acrylic is today's high performance material for tubs and showers. The durable, non porous, solid surface is highly resistant to scum, mildew and stains, making it easy to clean and maintain. Warm to the touch, acrylic absorbs those impacts that could chip other materials.

One-Piece Construction:

- Greater Rigidity
- Lessens Pre-Installation Damage
- Cuts Costly Maintenance
- No Place for Mold to Form

Non Porous:

- Easy to Clean
- Longer Life
- More Resistant to Slippage

Material:

- Warm to The Touch
- Color all the Way Through
- Maintains Gloss
- Chip Resistant

Savings:

- No Grout Cleaning
- No Ceiling Repainting
- No Cracking





Our showers, tubs, pans and bases are designed for hospitals, VA hospitals, nursing homes, rehabilitation centers, hotels, motels and residential applications. Larger showers will accommodate a wheelchair or shower chair.



End Water Problems:

The barrier-free shower that presents no barrier to the user but does present a barrier to water trying to get out of unit.

Aqua Bath's innovative center trench drain design is now standard on all our barrier-free units. This new design does not change conventional plumbing but rather adapts the basic barrier-free unit to the new system by utilizing a slight 3/8" per foot slopes from the threshold to the center drain.

The front center trench is available as an option on certain barrier-free units.

Convertible:

It is most difficult to know who will be residing in assisted living developments, retirement settings and nursing home situations; what will their needs be and what will they want?

Aqua Bath has developed a unit that will accept a rigid fold-up seat, after the unit has been installed. With a few minutes of screw driver use the maintenance people can render an ADA compliant transfer shower non-compliant by removing the seat. When the need arises, the same screw driver can restore ADA compliance to the shower in a matter of minutes.

Ask for details about our removable set.





Model #: C4136BF-FUS+ Barrier Free Transfer Shower 2" or 3/4" With Fold-Up Seat

Molded from a single sheet of .187 cast acrylic without any joints or seams. The enclosure inside dimensions are 36" wide x 36" deep. The outside dimensions are 41" wide x 37" deep x 84" height. The entire unit is installed in grout. Failure to comply with manufacturers installation instructions will void warranty. The 3/4" threshold unit allows for a slab application. However, the finished floor detail must comply with ADA Compliance and should not exceed more than 1/2" from finished floor to top of threshold. The approximate weight of the unit is 230 pounds.

Meets ANSI Z124.2, ANSI A117.1, ADA Guidelines as well as other standards for accessibility and NAHB listed. Unit has a backside flame spread of less than 30 (class B).

Options:

- Factory Installed Convertible/Removable Fold-Up Seat (adds 3/4" to outside width)
- Hand-Held Shower Set (includes 60" flex hose, swivel connector, brass nipple, lock-nut, wall outlet and vacuum breaker)
- 24" or 30" Slide Bar
- Pressure Balance Control Valve
- Antibacterial Weighted Shower Curtain (Patented) With Hooks
- Seat Belt
- Factory Drilled For Dome Light (Shipped Separately)
- Removable Threshold
- Water Retention Strip (WRS)

Model #: C6032TS Multi-Use Tub/Shower With 18" Dam


Molded from a single sheet of .187 cast acrylic without any joints or seams. The enclosure inside dimensions are 56 1/2" wide x 31 1/2" deep x 78" height. The outside dimensions are 60" wide x 32 1/2" deep x 84" height. The unit has a backside flame spread of less than 30 (class B). The approximate weight of the unit is 275 pounds.

Meets ANSI Z124.2, ANSI A117.1, ADA Guidelines as well as other standards for accessibility and NAHB listed.

Options:

- Hand-Held Shower Set (includes 60" flex hose, swivel connector, brass nipple, lock nut, wall outlet and vacuum breaker)
- 24" or 30" Slide Bar
- Pressure Balance Control Valve
- Factory Drilled Dome Light (Shipped Separately)
- Antibacterial Shower Curtain With Hooks
- Lift out seat required by ADA





Model #: C6536TD-FUS Barrier Free Roll-In Transfer Shower 2" or 3/4" With Fold-Up Seat

Molded from a single sheet of .187 cast acrylic without any joints or seams. The enclosure inside dimensions are 60" wide x 36" deep x 78" height. The outside dimensions are 65" wide x 37" deep x 84" height. The entire unit is installed in grout. Failure to comply with manufacturers installation instructions will void warranty. The 3/4" threshold unit allows for a slab application. However, the finished floor detail must comply with ADA Compliance and must be flush with the top of the threshold to give a complete barrier-free entrance and exit of the wheelchair from the shower enclosure.

Options:

- Factory Installed Fold-Up Seat (adds 3/4" to outside width)
- Hand-Held Shower Set (includes 60" flex hose, swivel connector, brass nipple, lock-nut, wall outlet and vacuum breaker)
- 24" or 30" Slide Bar
- Pressure Balance Control Valve
- Antibacterial Weighted Shower Curtain (Patented) With Hooks
- Seat Belt
- Factory Drilled For Dome Light (Shipped Separately)
- Modification to 30" ID Depth and Remain ADA Compliant
- Removable Threshold
- Water Retention Strip (WRS)
- Overall Height Dimension For The 3/4" Threshold Option is 82 3/4"

CARE SERIES

The unit has a backside flame spread of less than 30 (class B). The approximate weight of the unit is 275 pounds.

Meets ANSI Z124.2, ANSI A117.1, ADA Guidelines as well as other standards for accessibility and NAHB listed.

Model #: IS3336SH Corner/Neo-Angle Shower With 5" Threshold

Molded from a single sheet of .187 cast acrylic without any joints or seams. The enclosure inside dimensions are 40" wide x 37" deep x 78" height. The outside dimensions are 42" wide x 41" deep x 84" height. The unit should have a backside flame spread of less than 30 (class B). The approximate weight of the unit is 180 pounds.

Meets ANSI Z124.2 and NAHB. **This shower is not ADA Compliant.** See our full line of ADA Compliant tub and shower units.

Options:

- Brass Drain (field install)
- Hand-Held Shower Set (includes hand-set, 60" flex hose, swivel connector, brass nipple, lock-nut, wall outlet and vacuum breaker)
- 24" or 30" Slide Bar
- Pressure Balance Control Valve
- Antibacterial Shower Curtain With Hooks
- Dome Light Kit (field install)



ACCESSIBLE SERIES



ACCESSIBLE SERIES

Model #: IS4136BF

Shower 3/4" 2" 4" or 7 3/4" Threshold With or Without Molded-In Seat

Molded from a single sheet of .187 cast acrylic without any joints or seams. The enclosure inside dimensions are 36" wide x 39" deep x 80" height. The outside dimensions are 43" wide x 37" deep x 82 3/4" height. The unit should have a backside flame spread of less than 30 (class B). A soap tray is molded in the corner 28" above the floor. The unit is formed with a patented recessed trench system that directs water to center drain. The approximate weight of the unit is 230 pounds.

Meets ANSI Z124.2 and is designed to meet NAHB. **This shower is not ADA Compliant.** See our full line of ADA Compliant tub and shower units.

Options:

Fold-Up Shower Seat:

- Factory Installed Fold-Up Seat
- Factory Installed Removable Fold-Up Seat 3/4" to outside width) (adds 3/4" to outside width)
- Hand-Held Shower Set
- 24" or 30" Slide Bar
- Pressure Balance or Valve
- Antibacterial Shower Curtain With Hooks
- Seat Belt
- ASTM F462 Non-Slip Bottom
- Factory Drilled For Dome Light (Shipped Separately)

Model #: AB6031-34TS

Tub/Shower With 18" Dam

Molded from a single sheet of cross-link sanitary grade cast acrylic without any joints or seams. The enclosure inside dimensions are 56 3/4" wide x 33 1/2" deep x 79" height. The outside dimensions are 60" wide x 34" deep x 84" height and has contoured flanges to accept drywall for easy and clean installation. The enclosure has three molded soap dishes on back wall with clear towel bar, ribbed bottom for slip resistance and sloped backrest. The approximate weight of the unit is 225 pounds.

Meets ANSI 124.2 and is designed to meet NAHB. **This shower is not ADA Compliant.** See our full line of ADA Compliant tub and shower units.

Options:

- Curtain Rod
- Antibacterial Shower Curtain With Hooks
- Dome Light
- Platform Seat (Removable)



TUB & SHOWERS SERIES



ACCESSIBLE SERIES

Model #: C4136BF-OT-FUS 3/4" or 2" OpenTop ADA Code Compliant Transfer Shower

Molded from a single sheet of .187 cast acrylic without any joints or seams. The enclosure inside dimensions are 36" wide x 36" deep x 78" height. The outside dimensions are 41" wide x 37" deep x 84" height. The unit should have a backside flame spread of less than 30 (class B). A soap tray is molded in the corner. The unit is formed with a patented recessed trench system that directs water to center drain. The approximate weight of the unit is 230 pounds.

Meets ANSI Z124.2 and is designed to be NAHB listed. **This shower is ADA Compliant.** See our full line of ADA Compliant tub and shower units.

Options:

Fold-Up Shower Seat:

- Factory Installed Fold-Up Seat
- Factory Installed Removable Fold-Up Seat (adds 3/4" to outside width)
- Hand-Held Shower Set
- 24" or 30" Slide Bar
- Pressure Balance or Valve
- Curtain Rod with Inserts (FIELD INSTALL)
- Antibacterial Weighted Shower Curtain With Hooks
- Seat Belt
- Brass Drain

Model #: B6032SH (LH or RH Drain) Remodeler base with 7 3/4" threshold ONLY

Our remodeler base is thermoformed and molded from .187 cast acrylic without any joints or seams and is a slip resistant non-porous model. This enclosure inside dimensions are 57 1/4" wide X 30 3/4" deep X 22" height. Outside dimensions are 60" wide X 32" deep X 24" height. The enclosure can be molded with or without a seat and is perfect for ease of installation on applications where a tub shower has been removed.

Options:

- Curtain Rod with Inserts (field install)
- Antibacterial Shower Curtain With Hooks
- Dome Light (field install)
- Brass Drain



REMODELER BASE

Quality • Choice • Flexibility

We Have the Flexibility to Produce Units That Meet Your Specific Goals...

...from changing the location of the drain, seat or soap dish to customizing the width and depth of the unit to fit a specified area. Our state-of-the-art shower provides a removable, fold up seat for comfortable bathing, side controls for ease of operation, a fitted curtain for water retention, a three-piece surround system that makes installation easy, and a look that will enhance any bathroom.

Aqua Bath fully supports the Buy **American Compliancy Act** and **American Recovery and Reinvestment Act** (ARRA) USC section 1605.



Larger Showers Will Accommodate a Wheelchair or Shower Chair

- Many Types of Hospitals
- Nursing Homes
- Rehabilitation Centers
- Hotels & Motels
- Residential Applications

Give us a Call or go
Online for More Info
1.800.ADA.BATH
www.aquabath.com



Safety • Durability • Comfort

Our ADA Showers and Tubs are Specially Designed to Meet ADA Standards